

## WEST Search History





DATE: Wednesday, November 15, 2006

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=AND</i>		
<input type="checkbox"/>	L17	defibrillator and pace and heart and implant	1412
<input type="checkbox"/>	L16	heart and jacket and constrain and electrical	148
<input type="checkbox"/>	L15	heart and jacket and constrain and insulate	12
<input type="checkbox"/>	L14	heart and jacket and constrain and "trans-chest"	50
<input type="checkbox"/>	L13	heart and jacket and constrain and defibrillation	80
<input type="checkbox"/>	L12	heart and jacket and constrain and defibrillator	51
<input type="checkbox"/>	L11	heart and jacket and constrain and defibrillate	16
<input type="checkbox"/>	L10	L9 and constrain	80
<input type="checkbox"/>	L9	heart and jacket and electrical\$2 and permeable	357
	<i>DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=AND</i>		
<input type="checkbox"/>	L8	heart and jacket and "electrically permeable"	53
	<i>DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=AND</i>		
<input type="checkbox"/>	L7	L6 and cardiomyopathy	43
<input type="checkbox"/>	L6	heart and pace and defibrillator and jacket	153
	<i>DB=USPT,JPAB,EPAB,TDBD; PLUR=YES; OP=AND</i>		
<input type="checkbox"/>	L5	L4 and implantable	1132
<input type="checkbox"/>	L4	L3 and surface	1233
<input type="checkbox"/>	L3	heart and pace and defibrillator	1922
<input type="checkbox"/>	L2	L1 and pacing	43
<input type="checkbox"/>	L1	cardiac and jacket and heart and constrain	83

END OF SEARCH HISTORY